

Safety Data Sheet

Issue Date: 04-Feb-2014

Revision Date: 24-Feb-2016

Version: 5.03

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name:

Osmocote Exact Standard High K 8-9M; 11-11-18+TE

Product Code

88280225EA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use:

Fertilizer. Restricted to professional users.

Uses Advised Against:

Consumer use.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Everris International BV

Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0) 45-5609100; Fax: +31 (0) 45-5609190

For further information, please contact

INFO-MSDS@EVERRIS.COM

1.4. Emergency telephone number

IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008

Serious Eye Damage or Eye Irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Product Identifier:



Signal Word:

Danger

Hazard Statements:

H412 - Harmful to aquatic life with long lasting effects

H318 - Causes serious eye damage

Contains Ammonium Nitrate; NH₄NO₃, Potassium sulphate; K₂SO₄

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

Other hazards (UN-GHS)

Harmful to aquatic life.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Ingredients	EC-No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Ammonium Nitrate; NH ₄ NO ₃	229-347-8	6484-52-2	25 - 40%	Eye Irrit. 2 (H319) Ox. Sol. 3 (H272)	01-2119490981-27
Potassium sulphate; K ₂ SO ₄	231-915-5	7778-80-5	10 - 25%	Eye Dam. 1 (H318)	01-2119489441-34
Calcium sulphate dihydrate; CaSO ₄ +2H ₂ O	231-900-3	10101-41-4	0.1 - 1%	Not classified	01-2119444918-26
Iron sulphate; FeSO ₄ +1H ₂ O	231-753-5	7720-78-7	0.1 - 1%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	01-2119513203-57
Iron EDTA; Fe-EDTA	239-802-2	15708-41-5	0.1 - 1%	Not classified	01-2119496228-27
Copper sulphate anh; CuSO ₄	231-847-6	7758-98-7	0.1 - 1%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119520566-40
Manganese sulphate; MnSO ₄ +1H ₂ O	232-08-99	7785-87-7	0.1 - 1%	STOT RE 2 (H373) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	01-2119456624-35
Urea	200-315-5	57-13-6	0.1 - 1%	Not classified	01-2119463277-33
Sodium borate; Na ₂ B ₄ O ₇	215-540-4	1330-43-4	< 0.1%	Eye Irrit. 2 (H319) Repr. 1B (H360FD)	01-2119490790-32
Calcium fluoride; CaF ₂	232-188-7	7789-75-5	< 0.1%	Not classified	Exempt
Zinc sulphate mono hydrate; ZnSO ₄ +1H ₂ O	231-793-3	7446-19-7	< 0.1%	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119474684-27
Sodium molybdate; Na ₂ MoO ₄ +2H ₂ O	231-551-7	7631-95-0	< 0.1%	Not classified	01-2119489495-21
Magnesium oxide; MgO	215-171-9	1309-48-4	< 0.1%	Not classified	Exempt

Full text of H- and EUH-phrases: see section 16**Section 4: FIRST AID MEASURES****4.1. Description of first aid measures****General Advice:**

First aid measures should be executed by trained personnel only.

Inhalation:

Dusty conditions are unlikely if product is used as intended. However, if prolonged inhalation of dust occurs, remove casualty to fresh air. If symptoms persist, call a physician.

Skin Contact:

If a person feels unwell or symptoms of skin irritation appear, consult a physician. Rinse with plenty of water.

Eye Contact:	Rinse eyes with water as a precaution. If eye irritation persists, consult a specialist.
Ingestion:	If conscious, drink plenty of water. Do NOT induce vomiting. Rinse mouth. Consult a physician if necessary.
Protection of First-Aiders:	Low hazard for usual industrial or commercial handling.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician: None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media:

Coordinate fire extinguishing measures to fire in surrounding area. Use dry chemical, CO2, water spray or "alcohol" foam.

Unsuitable extinguishing media:

High volume water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

5.3. Advice for firefighters

Coordinate fire extinguishing measures to fire in surrounding area.

Hazchem code:

None

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: Avoid dust formation. Sweep-up to prevent slipping hazard.

For Emergency Responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. Do not contaminate surface water.

6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleanup: Shovel or sweep up.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Keep away from heat and sources of ignition. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well. Keep at temperatures between 0 °C and 40 °C.

LGK (Germany)
Packaging Materials:

Exempt
Bags or Bulk.

7.3. Specific end use(s)

Specific use(s)

Fertilizer; Read and follow label instructions; www.everris.com

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

<i>Ammonium Nitrate; NH₄NO₃</i>	
Australia TWA	N.A.
Czech Republic OEL	10.0 mg/m ³ TWA
<i>Potassium sulphate; K₂SO₄</i>	
Bulgaria - Occupational Exposure Limits - TWAs	10.0 mg/m ³ TWA
Latvia - Occupational Exposure Limits - TWAs	10 mg/m ³ TWA
<i>Calcium sulphate dihydrate; CaSO₄+2H₂O</i>	
German mak	TWA: 1.5 mg/m ³ TWA: 4 mg/m ³
Portugal	TWA: 10 mg/m ³
Spain OEL - Time Weighted Average (TWA):	TWA: 10 mg/m ³
Switzerland	TWA: 3 mg/m ³
<i>Iron sulphate; FeSO₄+1H₂O</i>	
Belgium - 8 Hr TWA	1 mg/m ³
Denmark	TWA: 1 mg/m ³
Finland	TWA: 1 mg/m ³
Ireland	TWA: 1 mg/m ³ STEL: 2 mg/m ³
Netherlands - OEL - MACs:	1 mg/m ³
Norway	TWA: 1 mg/m ³ STEL: 3 mg/m ³
Portugal	TWA: 1 mg/m ³
Spain OEL - Time Weighted Average (TWA):	TWA: 1 mg/m ³
Switzerland	TWA: 1 mg/m ³
UK oes/mel:	TWA: 1 mg/m ³
<i>Iron EDTA; Fe-EDTA</i>	
Denmark	TWA: 1 mg/m ³
Finland	TWA: 1 mg/m ³
Portugal	TWA: 1 mg/m ³
Spain OEL - Time Weighted Average (TWA):	TWA: 1 mg/m ³
Switzerland	TWA: 1 mg/m ³
<i>Copper sulphate anh; CuSO₄</i>	
Austria	STEL 4 mg/m ³ STEL 0.4 mg/m ³ TWA: 1 mg/m ³ TWA: 0.1 mg/m ³
Australia TWA	N.A.
Finland	TWA: 1 mg/m ³
German mak	TWA: 0.1 mg/m ³ Ceiling / Peak: 0.2 mg/m ³
Netherlands - OEL - MACs:	0.1 mg/kg TWA
Poland	TWA: 0.2 mg/m ³
Russia TWA	0.5 mg/m ³ TWA Cu
Switzerland	STEL: 0.2 mg/m ³ TWA: 0.1 mg/m ³
<i>Manganese sulphate; MnSO₄+1H₂O</i>	
Austria	STEL 2 mg/m ³ TWA: 0.5 mg/m ³

Australia TWA	0.2 mg/m ³
Belgium - 8 Hr TWA	0.2 mg/m ³
Denmark	TWA: 0.2 mg/m ³
Finland	TWA: 0.2 mg/m ³ TWA: 0.1 mg/m ³
German mak	TWA: 0.2 mg/m ³ TWA: 0.02 mg/m ³ Ceiling / Peak: 1.6 mg/m ³ Ceiling / Peak: 0.16 mg/m ³ TWA: 0.5 mg/m ³
Ireland	TWA: 0.2 mg/m ³
Netherlands - OEL - MACs:	1 mg/m ³
Norway	TWA: 1 mg/m ³ TWA: 0.1 mg/m ³ STEL: 3 ppm STEL: 0.3 mg/m ³
Poland	TWA: 0.3 mg/m ³
Portugal	TWA: 0.2 mg/m ³
Spain OEL - Time Weighted Average (TWA):	TWA: 0.2 mg/m ³
Sweden - OEL - 8 Hour	0.2 mg/m ³ LLV (total)
Switzerland	TWA: 0.5 mg/m ³
UK oes/mel:	TWA: 0.5 mg/m ³
<i>Urea</i>	
Bulgaria - Occupational Exposure Limits - TWAs	10.0 mg/m ³ TWA
Latvia - Occupational Exposure Limits - TWAs	10 mg/m ³ TWA
Norway	TWA: 30 µg Hg/g Creatinine STEL: 45 µg Hg/g Creatinine
<i>Sodium borate; Na₂B₄O₇</i>	
Australia TWA	1 mg/m ³ TWA
Belgium - 8 Hr TWA	2 mg/m ³ TWA borate
Denmark	TWA: 1 mg/m ³
Greece - OEL	10 mg/m ³ TWA
Iceland - OEL - 8 Hour	1 mg/m ³ TWA
France - Occupational Exposure Limits - 8 Hour VMEs	TWA: 1 mg/m ³
Ireland	TWA: 1 mg/m ³
Norway	TWA: 1 mg/m ³ STEL: 3 mg/m ³
Portugal	STEL: 6 mg/m ³ TWA: 2 mg/m ³
Spain OEL - Time Weighted Average (TWA):	STEL: 6 mg/m ³ TWA: 2 mg/m ³
Switzerland	TWA: 1 mg/m ³
UK oes/mel:	STEL: 3 mg/m ³ TWA: 1 mg/m ³
<i>Calcium fluoride; CaF₂</i>	
Denmark	TWA: 2.5 mg/m ³
German mak	TWA: 1 mg/m ³ Skin
Ireland	TWA: 2.5 mg/m ³
Latvia - Occupational Exposure Limits - TWAs	0.5 mg/m ³ TWA (as F, listed under Hydrofluoric acid salts)
Poland	STEL: 2 mg/m ³ TWA: 2 mg/m ³
Portugal	TWA: 2.5 mg/m ³
Romania - Occupational Exposure Limits - TWAs	1 mg/m ³ TWA
Russia TWA	0.5 mg/m ³ TWA F
<i>Zinc sulphate mono hydrate; ZnSO₄+1H₂O</i>	
German mak	TWA: 0.1 mg/m ³ TWA: 2 mg/m ³ Ceiling / Peak: 0.4 mg/m ³ Ceiling / Peak: 4 mg/m ³
<i>Sodium molybdate; Na₂MoO₄+2H₂O</i>	
Austria	STEL 10 mg/m ³ TWA: 5 mg/m ³
Czech Republic OEL	5 mg/m ³ TWA

Denmark	TWA: 5 mg/m ³
Finland	TWA: 0.5 mg/m ³
France - Occupational Exposure Limits - 8 Hour VMEs	TWA: 5 mg/m ³ STEL: 10 mg/m ³
Ireland	TWA: 10 mg/m ³ TWA: 0.5 mg/m ³
Norway	TWA: 5 mg/m ³ STEL: 10 mg/m ³
Poland	STEL: 10 mg/m ³ TWA: 4 mg/m ³
Portugal	TWA: 0.5 mg/m ³
Spain OEL - Time Weighted Average (TWA):	TWA: 0.5 mg/m ³
Sweden - OEL - 8 Hour	5 mg/m ³ LLV
Switzerland	TWA: 5 mg/m ³
UK oes/mel:	TWA: 5 mg/m ³
<i>Magnesium oxide; MgO</i>	
Austria	STEL 20 mg/m ³ STEL 10 mg/m ³ TWA: 5 mg/m ³ TWA: 10 mg/m ³
Australia TWA	10 mg/m ³ TWA fume
Belgium - 8 Hr TWA	10 mg/m ³
Bulgaria - Occupational Exposure Limits - TWAs	10.0 mg/m ³ TWA
Czech Republic OEL	5 mg/m ³ TWA
Denmark	TWA: 6 mg/m ³
Greece - OEL	10 mg/m ³ TWA (inhalable fraction); 5 mg/m ³ TWA (respirable fraction)
Iceland - OEL - 8 Hour	6 mg/m ³ TWA Mg
France - Occupational Exposure Limits - 8 Hour VMEs	TWA: 10 mg/m ³
German mak	TWA: 1.5 mg/m ³ TWA: 4 mg/m ³
Hungary - Occupational Exposure Limits - TWAs	6 mg/m ³ TWA
Ireland	TWA: 4 mg/m ³ TWA: 5 mg/m ³ TWA: 10 mg/m ³ STEL: 10 mg/m ³
Netherlands - OEL - MACs:	10 mg/m ³
Norway	TWA: 10 mg/m ³ STEL: 20 mg/m ³
Poland	TWA: 5 mg/m ³ TWA: 10 mg/m ³
Portugal	TWA: 10 mg/m ³
Romania - Occupational Exposure Limits - TWAs	5 mg/m ³ TWA (fume)
Spain OEL - Time Weighted Average (TWA):	TWA: 10 mg/m ³
Switzerland	TWA: 3 mg/m ³
UK oes/mel:	STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³

Derived No Effect Level (DNEL)

No data available

Predicted No Effect Concentration (PNEC)

No data available.

8.2. Exposure controls

Engineering Measures to Reduce Exposure: Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/Face Protection: Tightly fitting safety goggles
 Hand protection: Nitrile rubber (0.26 mm). Break through time. > 8 h.
 Respiratory Protection: In case of insufficient ventilation wear suitable respiratory equipment.
 Skin and Body Protection: Lightweight protective clothing

Hygiene Measures: Follow good housekeeping practices. When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State:	Solid
Appearance:	granules
Color:	brown, green, blue.
Odor:	Not significant
pH:	no data available
Melting Point/Freezing Point:	no data available
Boiling Point/Range:	Solid, Not Applicable
Flash Point:	Solid, Not Applicable
Evaporation Rate:	Solid, Not Applicable
Flammability (solid, gas):	Non-flammable
Vapor Pressure:	Solid, Not Applicable
Vapor Density:	Solid, Not Applicable
Specific Gravity:	no data available
Water Solubility:	Soluble in water
Solubility(ies)	no data available
Partition Coefficient:	Solid, Not Applicable
Autoignition Temperature:	Not Applicable
Decomposition Temperature:	no data available
Explosive Properties:	Doesn't present explosion hazard. Based on data of ingredients.

9.2. Other information

Bulk density: 1012 - 1162 kg/m³

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Decomposition Products:

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Possibility of Hazardous Reactions:

None under normal processing.

10.4. Conditions to avoid

For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well.

10.5. Incompatible materials

Strong oxidizing agents. Acids and bases. Strong reducing agents. Flammable materials. Keep away from catalysts like derivatives of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

10.6. Hazardous decomposition products

None under normal processing.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information:

Inhalation:

May cause irritation of respiratory tract.

Eye Contact:

Causes serious eye damage.

Skin Contact: May cause irritation.
Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Unknown Acute Toxicity: 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 34,501.00 mg/kg

Component Information:

Ingredients	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium Nitrate; NH ₄ NO ₃	= 2217 mg/kg (Rat)		> 88.8 mg/L (Rat) 4 h
Potassium sulphate; K ₂ SO ₄	= 6600 mg/kg (Rat)		
Iron sulphate; FeSO ₄ +1H ₂ O	= 500 mg/kg (Rat)		
Copper sulphate anh; CuSO ₄	= 300 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	
Manganese sulphate; MnSO ₄ +1H ₂ O	= 782 mg/kg (Rat)		
Sodium borate; Na ₂ B ₄ O ₇	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	
Calcium fluoride; CaF ₂	= 4250 mg/kg (Rat)		
Sodium molybdate; Na ₂ MoO ₄ +2H ₂ O	= 4233 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 2080 mg/m ³ (Rat) 4 h

Skin Corrosion or Irritation

See also section 3.

Serious Eye Damage or Eye Irritation

See also section 3.

Sensitization

See also section 3.

Mutagenic effects

See also section 3.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive Toxicity

Ingredients	EU - GHS - SV - CLP (1272/2008) - Reproductive Toxicity
Sodium borate; Na ₂ B ₄ O ₇	Reproductive Toxicity - Repr. 1B: H360FD May damage fertility. May damage the unborn child. (C >= 4.5 %)

Teratogenicity

No known effects under normal use conditions.

STOT - Single Exposure

No known effects under normal use conditions.

STOT - Repeated Exposure

None under normal use conditions.

Aspiration Hazard

None under normal use.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.

10% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Ingredients	Algae/aquatic plants	Fish	Crustacea
Potassium sulphate; K ₂ SO ₄	2900: 72 h Desmodesmus subspicatus mg/L EC50	3550: 96 h Lepomis macrochirus mg/L LC50 static 510 - 880: 96 h Pimephales promelas mg/L LC50 static 653: 96 h Lepomis macrochirus mg/L LC50	890: 48 h Daphnia magna mg/L EC50
Copper sulphate anh; CuSO ₄		0.1: 96 h Oncorhynchus mykiss mg/L LC50	0.024: 48 h Daphnia magna mg/L EC50
Urea	> 10000: 192 h Scenedesmus quadricauda mg/L EC50	16200 - 18300: 96 h Poecilia reticulata mg/L LC50	3910: 48 h Daphnia magna mg/L EC50 Static
Sodium borate; Na ₂ B ₄ O ₇	158: 96 h Desmodesmus subspicatus mg/L	340: 96 h Limanda limanda mg/L LC50	1085 - 1402: 48 h Daphnia magna mg/L LC50

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

Ingredients	LOGPOW
Ammonium Nitrate; NH ₄ NO ₃	-3.1
Urea	-1.59

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods**Disposal of Wastes:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging:

Do not re-use empty containers. Dispose of as unused product.

Other Information:

Use up product completely. Packaging material is industrial waste.

Section 14: TRANSPORT INFORMATION

IMO / IMDG**14.1****UN-No:**

Not regulated

14.2**Proper shipping name:**

Not regulated

14.3**Hazard Class:**

Not regulated

14.4**Packing group:**

Not regulated

14.5**Component****IMDG - Marine Pollutants**Copper sulphate anh; CuSO₄
7758-98-7 (0.1 - 1%)

IMDG regulated marine pollutant (Listed in the index, listed under Copper sulphate, anhydrous, hydrates and solution)

Marine Pollutant:

No information available

14.6**Special Provisions**

None

14.7**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not regulated

ADR/RID**14.1****UN-No:**

Not regulated

14.2**Proper shipping name:**

Not regulated

14.3**Hazard Class:**

Not regulated

14.4**Packing group:**

Not regulated

14.5**Environmental Hazard**

Not regulated

14.6**Special Provisions**

None

IATA	
14.1	
UN-No:	Not regulated
14.2	
Proper shipping name:	Not regulated
14.3	
Hazard Class:	Not regulated
14.4	
Packing group:	Not regulated
14.5	
Environmental Hazard	Not regulated
14.6	
Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances
Ammonium Nitrate; NH ₄ NO ₃ 6484-52-2 (25 - 40%)	Use restricted. See item 58. (Conditions of restrictions 27 June 2010)

National regulations

Belgium

Component	Belgium - Major Accidents - Qualifying Quantities for Safety Reporting	Belgium - Major Accidents - Qualifying Quantities for Accident Prevention
Ammonium Nitrate; NH ₄ NO ₃ 6484-52-2 (25 - 40%)	2500 tonne (Note 3, applies to Ammonium nitrate in which the Nitrogen content due to Ammonium nitrate is >28% by weight containing <=0.2 % combustible material, >24.5% and <28% by weight containing <=0.4% combustible material and to aqueous Ammonium nitrate solutions in which the concentration of Ammonium nitrate is >80% by weight)	350 tonne (Note 3, applies to Ammonium nitrate in which the Nitrogen content due to Ammonium nitrate is >28% by weight containing <=0.2 % combustible material, >24.5% and <28% by weight containing <=0.4% combustible material and to aqueous Ammonium nitrate solutions in which the concentration of Ammonium nitrate is >80% by weight)

Denmark

Danish Sikkerhedsgruppe Not regulated

France

ICPE Classified installation: article 1331 (Type III)

Germany

Gefahrstoffverordnung (Germany) TRGS 511 C III
 LGK (Germany) Exempt
 Water Endangering Class (WGK): 1 (Everris classification)

Component	German WGK Section
Ammonium Nitrate; NH ₄ NO ₃ 6484-52-2 (25 - 40%)	class 1
Potassium sulphate; K ₂ SO ₄ 7778-80-5 (10 - 25%)	class 1
Iron sulphate; FeSO ₄ +1H ₂ O 7720-78-7 (0.1 - 1%)	class 1
Iron EDTA; Fe-EDTA 15708-41-5 (0.1 - 1%)	class 2
Copper sulphate anh; CuSO ₄ 7758-98-7 (0.1 - 1%)	class 2
Manganese sulphate; MnSO ₄ +1H ₂ O 7785-87-7 (0.1 - 1%)	class 1

Urea 57-13-6 (0.1 - 1%)	class 1
Sodium borate; Na ₂ B ₄ O ₇ 1330-43-4 (< 0.1%)	class 1
Calcium fluoride; CaF ₂ 7789-75-5 (< 0.1%)	class 1
Zinc sulphate mono hydrate; ZnSO ₄ +1H ₂ O 7446-19-7 (< 0.1%)	class 3
Sodium molybdate; Na ₂ MoO ₄ +2H ₂ O 7631-95-0 (< 0.1%)	class 1
Magnesium oxide; MgO 1309-48-4 (< 0.1%)	class 1

European Union

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

15.2 Chemical safety assessment

Not required. Substance(s) usage is covered according to Reach regulation 1907/2006.

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H360FD - May damage fertility. May damage the unborn child
H319 - Causes serious eye irritation
H272 - May intensify fire; oxidizer
H302 - Harmful if swallowed
H318 - Causes serious eye damage
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H315 - Causes skin irritation
H373 - May cause damage to organs through prolonged or repeated exposure in contact with skin
H411 - Toxic to aquatic life with long lasting effects

Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail
ICAO: International Civil Aviation Organization
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labeling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PNEC: Predicted No Effect Concentration
DNEL: Derived No-Effect Level
Reach: Registration, Evaluation, authorization of Chemicals
CLP: EU-GHS; Classification, Labelling and Packaging
OEL: Occupational Exposure Limit
TWA: Time Weighted Average
ATE: Acute Toxicity Estimate
EUH statement: CLP (EU) specific hazard statement.

Classification procedure:

- Calculation method
- Expert judgment and weight of evidence determination

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU No. 453/2010. Regulation (EC) No 1272/2008.

Prepared by:

Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

Issue Date:

04-Feb-2014

Revision Date: 24-Feb-2016

Reason for revision: *** Indicates changes since the last revision. This version replaces all previous versions.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.

End of Safety Data Sheet